

CDC All Drug Overdose (version 2)

Query purpose: To assist state, local, tribal, territorial, and federal public health practitioners in monitoring emergency department (ED) visits for suspected overdoses of any drug.

How it was developed: CDC scientists first started developing the definition using guidance from the United States Drug Enforcement Administration, Council of State and Territorial Epidemiologists, and the Substance Abuse and Mental Health Services Administration. First, International Classification of Diseases, 10th Revision (ICD-10-CM) and 9th Revision Clinical Modification (ICD-9-CM), and Systematized Nomenclature of Medicine (SNOMED) diagnosis codes indicating an acute drug poisoning were identified; this was followed by identifying and adding overdose terms that could be presented in the chief complaint free text. Finally, drug terms indicating that any type of drug was involved in the overdose, also that could be presented in the chief complaint free text, were identified and added. The definition was developed to be inclusive of all drug types, not specifically those that may be illicit versus prescription.

How it works: The Chief Complaint Discharge Diagnosis field is used to query both the diagnosis codes and chief complaint free text with exclusions (as necessary) to develop the syndrome definition.

- Automatic inclusion (yes):
 - If a diagnosis code indicating a drug poisoning is present, the ED visit is automatically included in the syndrome.
 - In addition, the ED visit is automatically included in the syndrome if it includes an F11 ICD-10-CM code for opioid use “with intoxication,” (e.g., F11.229), mention of naloxone in the chief complaint text, or mention of overdose in the chief complaint text.
- Automatic inclusion (no):
 - If the ED visit does not include a diagnosis code for drug poisoning, an F11 ICD-10-CM code for the non-poisoning opioid use “with intoxication,” or mention of naloxone or overdose in the chief complaint text, then the visit is not automatically included.
 - The visit is captured only if it includes two components:
 - 1) chief complaint text indicating poisoning and
 - 2) chief complaint text indicating drug involvement or an ICD-10-CM code for opioid use, abuse, and dependence without intoxication (e.g., F11.90).
 - The list of exclusions is applied to the chief complaint text only when a discharge diagnosis code is not present for drug poisoning, an F11 ICD-10-CM code is not present for opioid use “with intoxication”, there is no mention of naloxone in the chief complaint text, or there is no mention of overdose in the chief complaint text.

For consideration: The heroin, opioid, and stimulant definitions are nested within the all drug definition; thus, everything included in those queries is included in the all drug. There are several new poisoning codes (including ICD-9-CM, ICD-10-CM, and SNOMED) and many new drug names with the necessary exclusions (e.g., “PCP” is a drug but also used for “primary care physician”). The team attempted to identify most drug names including some of the popular brand names; however, it is likely that some drug names and slang terms should be added to the next version of the definition, especially as new drugs enter the market.

Revisions from version 1 include:

- modifications of the ICD-10-CM F11.12/22/92 codes included to ensure all relevant codes are being captured,
- addition of ICD-10-CM codes T50.A/B/Z, etc.; and
- addition of ICD-10-CM codes T40.411A, T40.414A, T40.421A, T40.424A, T40.491A, and T40.494A.

- New codes were added in October 2020 for poisoning fentanyl/fentanyl analogs, tramadol, and other synthetic narcotics.
- The ICD-10-CM codes, T40.4X1A and T40.4X4A (“poisoning by other synthetic narcotics”), were not removed, but they are no longer used as of October 1, 2020.

Table 1. Chief complaint and discharge diagnosis search terms for suspected all drug overdose (version 2)

Variable	Automatic inclusion?	Specific terms
<i>Inclusions</i>		
Discharge Diagnosis – ICD-9-CM poisoning	Yes	960-979; E850-E858; and E980.0-E980.5 (also included codes with no period, e.g., “E9805”)
Discharge Diagnosis – ICD-10-CM poisoning		T36-T50, where the sixth character is a 1 or 4 (e.g., T40.1X1A). Exceptions are needed for T36.9, T37.9, T39.9, T41.4, T42.7, T43.9, T45.9, T47.9, and T49.9, which were included if the code has a fifth character of 1 or 4 (e.g., T36.91XA). Only codes that include “A” (initial encounter) as the final character are included. Codes also are included when present with no period, e.g., “T3694XA”.
Discharge Diagnosis – ICD-10-CM opioid abuse/dependence/use with intoxication	Yes	F11.12, F11.120, F11.121, F11.122, F11.129, F11.22, F11.220, F11.221, F11.222, F11.229, F11.92, F11.920, F11.921, F11.922, F11.929 (also included codes with no period, e.g., “F1112”)
Discharge Diagnosis – SNOMED	Yes	295121001, 295597003, 295487009, 295334008, 295313001, 295593004, 295799003, 295117008, 295495008, 295332007, 295808006, 295123003, 295587007, 295314007, 295134000, 295910009, 296295001, 296412004, 296529003, 296334003, 296921006, 296513006, 296389000, 296845006, 296499009, 296922004, 296825003, 296943003, 296896008, 296853003, 296974001, 296450005, 296478006, 296402006, 296970005, 296509004, 296503003, 296425007, 296811004, 296948007, 297006008, 297094003, 297065005
Chief complaint – narcan or naloxone	Yes	Naloxone (narcan, evzio)
Chief complaint – overdose term	Yes	Overdose (overdose, overdoes, averdose, averdoes, over does, overose)
Chief complaint – overdose term	No, include only if other drug-related terms are also present	Poisoning (poison) Nodding off Snort Ingestion (ingest, inject) Intoxication (intoxic) Unresponsive (unresponsiv) Loss of consciousness (syncope, syncope) Shortness of breath (SOB), short of breath Altered mental status (AMS)

Chief complaint – drug term	No, include only if other overdose-related terms are also present	Drug, pill, poly drug/substance Stimulants (e.g., cocaine, amphetamine, methamphetamine); Benzodiazepines (e.g., Alprazolam, Clonazepam, Diazepam, Lorazepam, Xanax); Hallucinogens (e.g., phencyclidine [PCP], MDMA, ecstasy, lysergic acid diethylamide [LSD]); Opioids (e.g., buprenorphine, codeine, hentanyl, heroin, hydrocodone, hydromorphone, methadone, morphine, oxycodone, oxymorphone, kratom, loperamide); Marijuana, cannabinoids and synthetic cannabinoids; Cathinones or bath, ketamine, gabapentin, gamma hydroxybutyrate (GHB), sleep sedatives (see below for all brand names/slang included)
Discharge Diagnosis – ICD-10-CM opioid abuse/dependence/use	No, must use in combination with overdose term	F11.10, F11.90, F11.20 (also included codes with no period, e.g., "F1190")
Exclusions		
Chief complaint	Exclude	See list below in ESSENCE code

Table 2. ESSENCE query for suspected all drug overdose (version 2)

```
(,^[/ ]295121001[/]^,or,^[/ ]295597003[/]^,or,^[/ ]295487009[/]^,or,^[/ ]295334008[/]^,or,^[/ ]295313001[/]^,or,^[/ ]295593004[/]^,or,^[/ ]295799003[/]^,or,^[/ ]295117008[/]^,or,^[/ ]295495008[/]^,or,^[/ ]295332007[/]^,or,^[/ ]295808006[/]^,or,^[/ ]295123003[/]^,or,^[/ ]295587007[/]^,or,^[/ ]295314007[/]^,or,^[/ ]295134000[/]^,or,^[/ ]295910009[/]^,or,^[/ ]296295001[/]^,or,^[/ ]296412004[/]^,or,^[/ ]296529003[/]^,or,^[/ ]296334003[/]^,or,^[/ ]296921006[/]^,or,^[/ ]296513006[/]^,or,^[/ ]296389000[/]^,or,^[/ ]296845006[/]^,or,^[/ ]296499009[/]^,or,^[/ ]296922004[/]^,or,^[/ ]296825003[/]^,or,^[/ ]296943003[/]^,or,^[/ ]296896008[/]^,or,^[/ ]296853003[/]^,or,^[/ ]296974001[/]^,or,^[/ ]296450005[/]^,or,^[/ ]296478006[/]^,or,^[/ ]296402006[/]^,or,^[/ ]296970005[/]^,or,^[/ ]296509004[/]^,or,^[/ ]296503003[/]^,or,^[/ ]296425007[/]^,or,^[/ ]296811004[/]^,or,^[/ ]296948007[/]^,or,^[/ ]297006008[/]^,or,^[/ ]297094003[/]^,or,^[/ ]297065005[/]^,or,^[/ ]96[01234789].[0-9[/]^,or,^[/ ]96[01234789][0-9[/]^,or,^[/ ]965.[01456789[/]^,or,^[/ ]965[01456789[/]^,or,^[/ ]965.[06][0129[/]^,or,^[/ ]965[06][0129[/]^,or,^[/ ]966.[01234[/]^,or,^[/ ]969.[07][0123459[/]^,or,^[/ ]970.[0189[/]^,or,^[/ ]970[0189[/]^,or,^[/ ]970.8[019[/]^,or,^[/ ]9708[019[/]^,or,^[/ ]971.[01239[/]^,or,^[/ ]971[01239[/]^,or,^[/ ]97[23689].[0-9[/]^,or,^[/ ]97[23689][0-9[/]^,or,^[/ ]974.[0-7[/]^,or,^[/ ]974[0-7[/]^,or,^[/ ]975.[0-8[/]^,or,^[/ ]975[0-8[/]^,or,^[/ ]977.[0123489[/]^,or,^[/ ]977[0123489[/]^,or,^[/ ]E85[058].[0-9]^,or,^[/ ]E85[058][0-9]^,or,^[/ ]E85[167]^,or,^[/ ]E852.[01234589]^,or,^[/ ]E852[01234589]^,or,^[/ ]E853.[01289]^,or,^[/ ]E853[01289]^,or,^[/ ]E854.[01248]^,or,^[/ ]E854[01248]^,or,^[/ ]E980.[0-5]^,or,^[/ ]E980[0-5]^,or,^[/ ]t40.5x1a^,or,^[/ ]t405x1a^,or,^[/ ]t40.5x4a^,or,^[/ ]t405x4a^,or,^[/ ]t43.6[012349][14]a^,or,^[/ ]t436[01239][14]a^,or,^[/ ]296321004;^,or,^[/ ]441527004;^,or,^[/ ]296290006;^,or,^[/ ]61803000;^,or,^[/ ]t40.[012346][x09][14]a^,or,^[/ ]t40[012346][x09][14]a^,or,^verdo[se][es]^,andnot,(^wiol^,or,^picked iol^,or,^pop ce^,or,^ce iol^),,or,^over dose^,or,^overose^,or,^narcana^,or,^naloxo^,or,^[/ ]t3[6-9].[0-9][x019][14]a^,or,^[/ ]t3[6-9][0-9][x019][14]a^,or,^[/ ]t4[0-9].[0-9][x012349][14]a^,or,^[/ ]t4[0-9][0-9][x012349][14]a^,or,^[/ ]t50.[ABZ0-9][x0129][14]a^,or,^[/ ]t50[ABZ0-9][x0129][14]a^,or,^[/ ]t3[679].9[14]xa^,or,^[/ ]t3[679]9[14]xa^,or,^[/ ]t41.4[14]xa^,or,^[/ ]t414[14]xa^,or,^[/ ]t42.7[14]xa^,or,^[/ ]t427[14]xa^,or,^[/ ]t4[3579].9[14]xa^,or,^[/ ]t4[3579]9[14]xa^,or,^[/ ]f11.12^,or,^[/ ]f11.22^,or,^[/ ]f11.92^,or,^[/ ]f1112^,or,^[/ ]f1122^,or,^[/ ]f1192^,or,^[/ ]295174006;^,or,^[/ ]295175007;^,or,^[/ ]295176008;^,or,^[/ ]295165009;^,or,^[/ ]242253008;^,or,^[/ ]297199006;^,or,^[/ ]295213004;^,or,^[/ ]296321004;^,or,^[/ ]441527004;^,or,^[/ ]296290006;^,or,^[/ ]61803000;^,or,^[/ ]55680006;^,or,^[/ ]59369008;^,or,^[/ ]72431002;^,or,^[/ ]32267003;^,or,^[/ ]5116004;^,or,^[/ ]371341003;^,or,^[/ ]708079007;^,or,^[/ ]242253008;^,or,^[/ ]269688005;^,or,^[/ ]290222000;^),or,(,(,^poison^,or,^nodding^,or,^ nod ^,or,^snort^,or,^in[gj]est^,or,^intoxic^,or,^unresponsiv^,or,^loss of consciousness^,andnot,(^no loss of consciousness^,or,^denie[sd] loss of consciousness^,or,^negative loss of consciousness^,or,^denies any loss of consciousness^),,or,^syncop^,or,^shortness of breath^,andnot,(^no shortness of
```

breath^,or,^denie[sd] shortness of breath^,or,^denies any shortness of breath^,,or,^short of breath^,or,^altered mental status^,,and,(,(,^marij^,or,^cannab^,or,^edible ^,or,^smok^,,and,(,^weed^,or,^pot ^),,or,(,^pot ^,and,^brown^,,),,or,^speedball^,or,^speed ball^,or,^coc[ai][ia]ne^,or,^coccc[ai][ia]ne^,or,^cocane^,or,^cocanne^,or,^coke^,or,^crack^,or,^meth ^,or,^amphetamine^,or,^c[ry][yr]stal meth^,or,^lisdexamfetamine^,or,^dextroamphetamine^,or,^levoamphetamine^,or,^biphetamine^,or,^dexedrine^,or,^a dderal^,or,^aderal^,or,^vyvance^,or,^concerta^,or,^methylin^,or,^ritalin^,or,^cathinone^,or,^fla[ck]a ^,or,^fla[ck][kc]a ^,or,^bath salt^,or,^bathsalt^,or,^stimulant^,or,^mdma ^,or,^e[sc][cs]ta[cs]y^,or,^e[xsc]ta[sc]y^,or,^ex[sc]ta[sc]y^,or,^ moly ^,or,^moll[iy] ^,or,^her[io][oi]n^,or,^hod ^,or,^speedball^,or,^speed ball^,or,^dope^,or,^opioid^,or,^op[io][oi]d^,or,^opiate^,or,^opate^,or,^op[iu][ui]m^,or,^opum^,or,^methadone^,or,^s uboxone^,or,^oxyco^,or,^oxyi^,or,^oxy ^,or,^percoc^,or,^vicod^,or,^fent^,or,^hydrocod^,or,^morphin^,or,^cod[ei][ie]n^,or,^codene^,or,^oxymor^,or,^dilaud^, or,^hydromor^,or,^tramad^,or,^suboxin^,or,^buprenorphine^,or,^abstral^,or,^actiq^,or,^avinza^,or,^butrans^,or,^dem er[oa]^,or,^dolophine^,or,^duragesic^,or,^fentora ^,or,^hysingla^,or,^methadose^,or,^morphabond^,or,^nucynta^,or,^onsolis^,or,^oramorph^,or,^oxaydo^,or,^roxanol^, or,^sublimaze^,or,^xtampza^,or,^zohydro^,or,^anexsia ^,or,^co-gesic^,or,^embeda ^,or,^exalgo^,or,^hycet^,or,^hycodan^,or,^hydromet^,or,^ibudone^,or,^kadian^,or,^liquicet^,or,^lorcet^,or,^lortab^,or ,^maxidone^,or,^ms contin ^,or,^norco ^,or,^opana ^,or,^oxycet^,or,^palladone^,or,^percodan^,or,^reprexain^,or,^rezira^,or,^roxicet^,or,^targiniq^,or,^tussicaps^,or,^ tussione ^,or,^tuzistra^,or,^vicoprofen^,or,^vituz^,or,^xartemis^,or,^xodol^,or,^zolvit^,or,^zutripro^,or,^zydone^,or,^ultram^,or ,^[/]f11.[129]0^,or,^[/]f11[129]0^,or,^drug^,or,^pill ^,or,^pills ^,or,^kratom^,or,^herbal speedball^,or,^herbal speed ball^,or,^ketum^,or,^l[ao]per[oa]mide^,or,^took acid^,or,^drop acid^,or,^dropped acid^,or,^lsd ^,or,^salvia ^,or,^hallucinogen^,or,^angeldust ^,or,^angel dust ^,or,^poly substance^,or,^polysubstance^,or,^poly drug^,or,^polydrug^,or,^gabapentin^,or,^gabbapentin^,or,^n[eu][ue]ront[oi]n^,or,^neurotin^,or,^gamma hydroxybutyrate^,or,^ghb ^,or,^paroxetine^,or,^proza[ck]^,or,^paxil^,or,^fluoxetine^,or,^sertraline^,or,^zoloft^,or,^bupropi[aoe]n^,or,^welbutrin ^,or,^wellbutrin^,or,^lexapro^,or,^escitalopram^,or,^effexor^,or,^venlafxine^,or,^traz[eioa]done^,or,^trazdon^,or,^ole ptro^,or,^desyrel^,or,^cyclobenzaprene^,or,^ [sc]elexa ^,or,^cannabinoid^,or,^hashish^,or,^cannabis^,or,^thc ^,or,^ spice ^,or,^ace of spades^,or,^ak 47 ^,or,^ak47 ^,or,^ak 47 ^,or,^atomic blast^,or,^big bang^,or,^black magic smoke^,or,^black mamba^,or,^smoking a blunt^,or,^smoking blunt^,or,^smoked a blunt^,or,^smoking joint^,or,^smoked a joint^,or,^smoking a joint^,or,^smoke a blunt^,or,^smoke a joint^,or,^smoke joint^,or,^smoke blunt^,or,^blue cheese^,or,^buzz haze^,or,^cherry bomb^,or,^clockwork orange^,or,^cloud 10^,or,^cowboy kush^,or,^crystal skull^,or,^devils venom^,or,^dr feel good^,or,^dragon eye^,or,^earth blend^,or,^fake bake^,or,^fruit candy flavors^,or,^funky buddha^,or,^funky monkey^,or,^g force^,or,^gi joe^,or,^green dream^,or,^green peace^,or,^hipster^,or,^ice dragon^,or,^juicy leaf^,or,^just chill ^,or,^k2 ^,or,^serenity^,or,^kaos^,or,^ karma ^,or,^krazy kandy^,or,^kryp2nite^,or,^kush^,or,^layer cake^,or,^limitless^,or,^mad hatter^,or,^mystique^,or,^odyssey^,or,^pandoras box^,or,^pineapple express^,or,^posh^,or,^potpourri^,or,^pow ^,or,^red magic^,or,^rewind^,or,^scooby snax^,or,^sexy ^,or,^spike diamond^,or,^sweet leaf^,or,^synthetic mari^,or,^time traveler^,or,^top gear^,or,^viper^,or,^voodoo child^,or,^wazabi^,or,^wizard^,or,^xtreme ^,or,^zero gravity^,or,^mescal[ai]eo]n ^,or,^peyote^,or,^peote^,or,^ketamine^,or,^special k ^,or,^psilocybin^,or,^ shroom^,or,^cariso^,or,^soma ^,or,^happy pill^,or,^sedative^,or,^barbituate^,or,^phenobarb[ei]tal^,or,^amytal^,or,^nembutal^,or,^ roofie^,or,^zolpidem^,or,^ambien^,or,^lunesta^,or,^sonata^,or,^zaleplon^,or,^eszopiclone^,or,^ benzo^,or,^benzodiazepine^,or,^benezos^,or,^lorazp[ae]m^,or,^clorazepate^,or,^diazepa[mn]^,or,^clonazepam^,or,^m idazolam^,or,^alprazolam^,or,^temazepam^,or,^alprazolam^,or,^ xan^,or,^ [zx]an[oe]x^,or,^hexel^,or,^trankimazin^,or,^onax ^,or,^alprox ^,or,^misar ^,or,^restyl ^,or,^solanax^,or,^ tafil ^,or,^neuroil ^,or,^frontin ^,or,^librium ^,or,^ [ck]lon[ae]z[ea]p[eo]m^,or,^ [ck]lon[jao]pin^,or,^lithium^,or,^lithum^,or,^valium^,or,^valum^,or,^iktorivil^,or,^p axam^,or,^riv[oa]tril^,or,^antenex^,or,^apaurin^,or,^apzepam^,or,^apozepam^,or,^hexalid^,or,^normabel^,or,^pax ^,or,^stesolid^,or,^stedon^,or,^vival ^,or,^valaxona^,or,^hipnosedon^,or,^vulbegal^,or,^fluscand^,or,^flunipam^,or,^ ronol ^,or,^rohydorm^,or,^hypnodorm^,or,^loraz^,or,^ativan ^,or,^zolam^,or,^bromazepam^,or,^diazepoxide^,or,^zolam^,or,^serax^,or,^temazepa[nm]^,or,^restor[ai]e]^,or,^halcio

n^,or,^inhalant^,or,^cathinone^,or,^bathsalt^,or,^bath salt^,or,^dextromethorphan^,),andnot,(^amyloidosis^,or,^hypoglycemia^,or,^[/]L27^,or,^poison ivy^,or,^poison oak^,or,^requesting hydroco^,or,^given morphine^,or,^gave morphine^,or,^rec[ei][ei]ved morphine^,or,^morphine given^,or,^received morphine^,or,^received 4 morphine^,or,^en route fent^,or,^crackle^,or,^crackled^,or,^cracked^,or,^cracking^,or,^cracks^,or,^crackles^,or,^crackling^,or,^crackinling^,or, ^crackiling^,or,^cracker^,or,^crackers^,or,^crackels^,or,^crackly^,or,^mccracken^,or,^buttcrack^,or,^a crack^,or,^crack in^,or,^knee crack^,or,^shoulder crack^,or,^butt crack^,or,^ankle crack^,or,^callous crack^,or,^crack due to^,or,^pop crack^,or,^loud crack^,or,^it crack^,or,^heard crack^,or,^felt crack^,or,(^rib^,and,^crack^),or,^fell crack^,or,^snap crack^,or,^growth plate^,or,^to crack of^,or,^crack sidewalk^,or,^sidewalk crack^,or,^tooth^,or,^teeth^,or,^hands cracke^,or,^heard something^,or,^nail^,or,^cracky^,or,^crack area^,or,^crack cast^,or,^back crack^,or,^crack of^,or,^crack his^,or,(^lip^,and,^crack^),or,^my crack^,or,^glass crack^,or,(^buttock^,and,^crack^),or,^crack on ^,or,^crack to ^,or,^foot crack^,or,^no loss of consciousness^,or,^denie[sd] loss of consciousness^,or,^negative loss of consciousness^,or,^denies any loss of consciousness^,or,^denies drug^,or,^deny drug^,or,^denied drug^,or,^denying drug^,or,^denies any drug^,or,^ with dra ^,or,^withdra^,or,^detoxification^,or,^detos^,or,^detoz^,or,^dttox^,or,^drank a coke^,or,^coker^,or,^coke bottle^,or,^coke can^,or,^coke case^,or,^case of coke^,or,(^rum^,and,^coke^),or,^jack and coke^,or,^coke tea^,or,^coffee coke^,or,^delirium tremens coke^,or,^drink a coke^,or,^jack coke^,or,^dirnking coke^,or,^coke tab^,or,^scotch coke^,or,^drinking coke^,or,^aspirating on coke^,or,^coke colored^,or,^drank coke^,or,^cardiac-stimulant^,or,^cardiac stimulant^,or,^meth germantown^,or,^meth gmt^,or,^meth odist^,or,^meth obstet^,or,^meth group^,or,^without overdose^,or,^rule[ds] out overdose^,or,^ruling out overdose^,or,^denies her[io][oi]n^,or,^deny her[io][oi]n^,or,^denied her[io][oi]n^,or,^denying her[io][oi]n^,or,^denies marij^,or,^denies cannab^,or,^denies edible^,or,^denies drug^,or,^deny drug^,or,^denied drug^,or,^denying drug^,or,^denies any drug^,or,^with dra^,or,^withdra^,or,^detoxification^,or,^detos^,or,^detoz^,or,^dttox^,or,^oxy sat ^,or,^oxy state ^,or,^oxy high^,or,^oxy low^,or,^oxy mask ^,or,^oxy given^,or,^given oxy ^,or,^oxy clean^,or,^low oxy ^,or,^high oxy ^,or,^placed on oxy ^,or,^pulse oxy ^,or,^oxy deep cleaner^,or,^not enough oxy ^,or,^oxy level^,or,^sedat ^,or,^received fentanyl^,or,^administered fentanyl^,or,^given fentanyl^,or,^fentanyl en route^,or,^fentanyl enrnt^,or,^fent en route^,or,^fentanyl given^,or,^fentynl given^,or,^gave fent^,or,^gave fentanyl^,or,^given fentanyl^,or,^mcg fentanyl^,or,^mcg fent^,or,^mcg of fent^,or,^fentanyl 75^,or,^fentanyl 50^,or,^50 fentanyl^,or,^fentanyl 100^,or,^100 fent^,or,^fentanyl 150^,or,^intranasal fent^,or,^milligram fent^,or,^milligram of fentanyl^,or,^ fenton ^,or,^fent pta^,or,^fentanyl pta^,or,^fentynl 100 ^,or,^fentynyl 100^,or,^fentynal 50^,or,^fentynl 50^,or,^fent 50^,or,^fent 100^,or,^fent 150^,or,^diffently^,or,^received fent ^,or,^recieved fent ^,or,^ given 50 ^,or,^ given 100 ^,or,^ given 150 ^,or,^ gave 50 ^,or,^ gave 100 ^,or,^ gave 150 ^,or,^ doses of fent ^,or,^given ativan^,or,^rec[ei][ei]ved ativan^,or,^no loss of consciousness^,or,^denie[sd] loss of consciousness^,or,^negative loss of consciousness^,or,^denies any loss of consciousness^,or,^without loss of consciousness^,or,^denies drug^,or,^deny drug^,or,^denied drug^,or,^denying drug^,or,^denies any drug^,or,^withdra^,or,^detoxification^,or,^detos^,or,^detoz^,or,^dttox^,or,^water pill^,or,^birth control^,or,^birthcontrol^,or,^abortion pill^,or,^iron pill^,or,^gas pill^,or,^vitamin pill^,or,^pills ok^,or,^diet^,or,^dieting^,or,^supplement pill^,or,^sodium pill^,or,^food pill^,or,^chemo^,or,^asthma^,or,^fluid pill^,or,^infection pill^,or,^blood pressure pill^,or,^nitro pill^,or,^hormone pill^,or,^drug screen^,or,^drug therapy^,or,^acid reducer^,or,^spasmodic^,or,^hemolytic^,or,^rhabdomoly^,or,^anamoly^,or,^denies sync^,or,^hasnt been taking his prozac^,or,^off prozac^,or,^serenity house^,or,^by serenity^,or,^at serenity^,or,^from serenity^,or,^to serenity^,or,^with dra^,or,^withdra^,or,^detoxification^,or,^detos^,or,^detoz^,or,^dttox^),or,(^poison^,or,^nodding^,or,^ nod ^,or,^snort^,or,^in[gj]est^,or,^intoxic^,or,^unresponsiv^,or,^loss of consciousness^,andnot,(^no loss of consciousness^,or,^denies loss of consciousness^,or,^negative loss of consciousness^,or,^denies any loss of consciousness^),or,^syncop^,or,^altered mental status^),and,(^pcp^,or,^phencyclidine^),),andnot,(^pcp suggest^,or,^pcp want^,or,^pcdc advise^,or,^pcp is^,or,^pcp tol^,or,^pcp gave^,or,^pcp d^,or,^pcp sarwar^,or,^pcp stringfellow^,or,^pcp varma^,or,^pcp not in system^,or,^pcp not system^,or,^pcp kevin^,or,^to pcp^,or,^pcp smith^,or,^no pcp^,or,^pcp office^,or,^pcp doctor^,or,^from pcp^,or,^by pcp^,or,^at pcp^,or,^saw pcp^,or,^her pcp^,or,^his pcp^,or,^clinic^,or,^pender^,or,^connie^,or,^went to pcp^,or,^pcp none^,or,^normal pcp^,or,^consulted with pcp^,or,^no loss of consciousness^,or,^denies loss of consciousness^,or,^negative loss of consciousness^,or,^denies any loss of consciousness^,or,^from phencyclidine^,or,^sent by phencyclidine^,or,^phencyclidine advised^,or,^saw phencyclidine^,or,^phencyclidine cell^,or,^by phencyclidine^,or,^seen at phencyclidine^,or,^phencyclidine states^,or,^nad phencyclidine^,or,^to

phencyclidine^,or,^pcp told^,or,^food poisoning^,or,^seen phencyclidine^,or,^phencyclidine prescribed^,or,^pcp price^,or,^pcp chadha^,or,^pcp nedeigh^,or,^pcp sharma^,or,^pcp suggested^,or,^ask pcp^,or,^pcp thinks^,or,^care phencyclidine^,or,^pcp feels^,or,^pcp sending^,or,^pcp griffin^,or,^pcp hahn^,or,^poison ivy^,or,^poison control^,),),)

Point of Contact:

Alana Vivolo-Kantor (goz4@cdc.gov)